Amendments to and Listing of the Claims:

Please cancel claims 1-18, without prejudice to the filing of one or more divisional applications directed to the subject matter thereof, and amend claims 19-22 and 24-28, without prejudice, as shown below in the following listing of all claims ever presented. The following listing of claims replaces all prior versions of the claims.

1-18. (Canceled)

- 19. (Currently Amended) A metal-coated composite article material comprising:
- (a) a metal graphite composite substrate comprising a metal-graphite composite material having a carbon fiber content, wherein the substrate has having at least one surface that is substantially free of graphite having a reduced carbon fiber content which is 10% or less of the carbon fiber content of the material;
- (b) a metal-containing intermediate layer located on a surface of the substrate; and
 - (c) a metal coating on the intermediate layer.
- 20. (Currently Amended) The composite <u>article</u> material of claim 19, wherein the at least one surface of the composite material is hermetically sealed.
- 21. (Currently Amended) The composite <u>article</u> material of claim 19, wherein the at least one surface of the composite material is corrosion resistant.
- 22. (Currently Amended) The composite <u>article</u> material of claim 19, wherein the at least one surface of the composite material is both hermetically sealed and corrosion resistant.

23. (Canceled)

Application No. 10/342,943

Applicants' Response to Final Office Action dated March 8, 2007

- 24. (Currently Amended) The composite <u>article</u> material of claim 19, wherein the composite material is selected from the group consisting of aluminum graphite composite materials, aluminum alloy graphite composite materials, and combinations of the foregoing.
- 25. (Currently Amended) The composite <u>article</u> material of claim 19, wherein the composite material has a carbon fiber content ranging from about 15 wt.% to about 60 wt.%.
- 26. (Currently Amended) The composite <u>article</u> material of claim 19, wherein the metal-containing intermediate layer comprises a zinc-containing material.
- 27. (Currently Amended) The composite <u>article</u> material of claim 19, wherein the metal-containing intermediate layer comprises a zincate.
- 28. (Currently amended) A metal-coated metal graphite composite material comprising:
- (a) a metal graphite composite substrate comprising a metal-graphite composite material having a carbon fiber content, wherein the substrate has having at least one surface that is substantially free of graphite having a reduced carbon fiber content which is 10% or less of the carbon fiber content of the material;
- (b) a metal-containing intermediate layer located on a surface of the substrate; and
- (c) a metal coating on the intermediate layer, wherein the composite material is made by a method comprising:
- (1) removing graphite from at least one surface of a metal graphite composite material by oxidizing the metal graphite composite material at a temperature of at least 250°C, or by use of vibratory finishing techniques, plasma stripping techniques, glow discharge techniques, mechanical blasting techniques, lapping techniques, or combinations of any of these;

Application No. 10/542,945 Docket No.: 13194-00045-US

Applicants' Response to Final Office Action dated March 8, 2007

(2) chemically cleaning or plasma etching the at least one surface of the metal graphite composite material;

- (3) applying a metal-containing material to the surface of the chemically cleaned or plasma etched metal graphite composite material, and thereby forming an intermediate layer; and
- (4) applying a metal coating on the intermediate layer, and thereby forming the metal-coated metal graphite composite material.
- 29. (Original) The composite material of claim 28, wherein the metal-coated metal graphite composite material formed in step (4) has a surface that is hermetically sealed or corrosion-resistant or both hermetically sealed and corrosion resistant.
- 30. (Previously presented) The composite material of claim 28, wherein graphite is removed from at least one surface of the metal graphite composite material by plasma stripping techniques.